ULTRAWAVE TECHNOLOGIES

Single Section Wall Mounted Cabinets

UW-WMC




PRODUCT *DESCRIPTION*

A Series Single Section Wall Mounted Cabinets. Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2,

DIN41494 part 7, GBIT3047.2-92 standard.

PRODUCT *PARAMETERS*

Loading Capacity	60KG
Degree of Protection	IP20
Material	SPCC Cold Rolled Steel
Thickness	2.0mm-1.2mm-1.0mm
Surface Finish	Powder coating
Main dimension	9U 600 x 450 x 501mm



PRODUCT *DESCRIPTION*


- 19 inch width standard.
- Removable Side Panels, side locks optional.
- Knock off hole for entering cable on both top cover, bottom panel,real panel
- Turning angle of front door is over 180 degrees
- Easy mounting installation
- Unassembled package saving shipping space
- fan,shelf,PDU are optional

PRODUCT *CASE:*









Main Parts


S/N	Specification	Quantity	Unit	Material	Surface Finish	Remark
1	Mounting profile	4	Piece	Coated Zinc plate t2.0	Coated Zinc	with U mark
2	Frame	2	Piece	SPCC cold rolled steel t1.0	Powder coated	
3	Side panel	2	Piece	SPCC cold rolled steel t0.8	Powder coated	
4	Top cover	1	Piece	SPCC cold rolled steel t0.8	Powder coated	
5	Bottom panel	1	Piece	SPCC cold rolled steel t0.8	Powder coated	
6	Rear panel	1	Piece	SPCC cold rolled steel t0.8	Powder coated	
7	Front door	1	Piece	5MM toughened glass door/SPCC t1.0	Powder coated	
8	Lock	1	Piece	Steel	Color Zinc	with 2 keys
9	M6 Square nut	12	Piece	Steel	Color Zinc	
10	M6 B-head screw	12	Piece	Steel	Color Zinc	
11	Allen wrench	1	Piece	Steel	Color Zinc	


Specifications


Model No.	Capacity	Width	Depth	Height	Packing Dimension	Volume
	(U)	(MM)	(MM)	(MM)	(MM)	(CBM)
UW-WMC.6404	4	600	450	280	635*485*160	0.049
UW-WMC.6604			600		635*635*230	0.093
UW-WMC.6406	6	600	450	368	635*485*160	0.049
UW-WMC.6606			600		635*635*230	0.093
UW-WMC.6409	9	600	450	501	635*485*235	0.072
UW-WMC.6609			600		635*635*231	0.093
UW-WMC.6412	12	600	450	635	665*595*236	0.093
UW-WMC.6612			600		665*635*231	0.098
UW-WMC.6415	15	600	450	769	635*940*98, 802*460*132	0.137
UW-WMC.6615			600		635*757*236	0.113
UW-WMC.6418	18	600	450	901	635*940*98, 935*460*132	0.137
UW-WMC.6618			600		935*630*236	0.139

Color


RAL9004	RAL7035
black	grey









Front view
(Toughened glass)




Side view




Inside view



bottom



Back view



Top view